

# **Safety Data Sheet**

This SDS adheres to the standards and regulatory requirements of the United States

Data of issue: 2017/9/01 Version: C

### 1. SUBSTANCE / PREPARATION AND COMPANY IDENTIFICATION

Product Name: B70

Chemical Name: Acrylonitrile-butadiene copolymer

Company: The O-Ring Store LLC

1847 Wilma Dr

Clarkston, WA, 99403

Telephone: 208-413-6377 Fax: 208-413-6719

# 2. HAZARDS IDENTIFICATION

# Potential Health Effects

Possible routes of entry include skin & eye contact and process vapor or dust inhalation.

Smokers should avoid contamination of tobacco products with polymer and should wash their hands before smoking.

### 3. COMPOSITION / INFORMATION ON INGREDIENTS

Chemical nature (preparation)

Description: Butadiene-acrrylonitrile copolymer (CAS number: 9003-18-3)

# Hazardous Ingredient:

Hazardous	CAS#	Amount		Exposul	re Linits		
Ingredients			OSHA PEL A		ACC	ACGIH TLV	
Acrylonitrile	107-13-1	<10 ppm	2 ppm	TWA	2 ppm	TWA	
			1 ppm	AL		A2, Skin	
			10 ppm	Ceiling			
Butadiene	106-99-0	,<0.2 ppm	1 ppm	TWA	2 ppm	TWA	
			5 ppm	STEL		A2	
		1	0.5 ppm	AL			
4-vinyl Cyclohexene	100-40-3	<0.1 % est	No Estab	olished	0.1 ppm	n TWA, A3	

#### 4. FIRST AID MEASURES

#### Inhalation:

Remove to the affected individual to fresh air. Consult a physician if symptoms persist.

Skin contact: Wash with soap and water.

### Eye contact:

Flush eyes with plenty of water. Consult a physician if symptoms persist. Ingestion:

Ingestion: Not expected to occur during normal use of product.

#### **5. FIRE FIGHTING MEASURES**

# Extinguishing Media

Water, Foam, Dry Chemical, CO<sub>2</sub>

## Fire Fighting Instructions

Wear self-contained breathing apparatus. Wear full protective equipment.

## Exposure hazards

Decomposition products see section 10.

### **6. ACCIDENTAL RELEASE MEASURES**

# Safeguards (Personnel)

Use appropriate PERSONAL PROTECTIVE EQUIPMENT during clean-up.

Spill Clean up: Sweep up to avoid slipping hazard.

### 7. HANDLING AND STORAGE

Handling: Protect against fire.

Storage: Store in cool, dry place away from direct light to maintain quality.

### 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

### **Engineering Controls**

Ventilation: Vapors and fumes liberated from compounds during hot cured processing should be exhausted from work areas to maintain the ambient workplace atmosphere below the limits listed in section 2.

# Personal Protective Equipment

Respirators: When temperature Exceed 200 °C and ventilation is inadequate to maintain concentration below exposure limits, use a positive pressure air supplied respirator. Air purifying respirators may not provide adequate protection.

Protective Clothing: If there is potential contact with hot/ molten material, wear heat resistant clothing and footwear. Do not touch decomposed parts even when cool. Neoprene gloves recommended.

## 9. PHYSICAL AND CHEMICAL PROPERTIES

Physical Data:

Melting Point: NA % Volatiles: NA

Solubility in Water: Insoluble

Odor: With a mild characteristic odor

Color: Black Appearance: Solid

Special Gravity: 1.21 – 1.27

#### **10. STABILITY AND REACTIVITY**

Chemical Stability: Stable at normal temperature and storage condition.

Conditions to avoid: Overheating

### Incompatibility with other materials:

No specific information is available, however strong oxidizers or reducing agents which generally not compatible with compounds.

### Hazardous decomposition products:

Fumes produced when heated to decomposition temperatures may contain carbon monoxide, carbon dioxide, hydrogen cyanide, oxides of nitrogen, and small amounts of aromatic and aliphatic hydrocarbons. Combustion products from rubber, like those of other natural and synthetic materials, must be considered toxic.

### 11. TOXICOLOGICAL INFORMATION

No information is available.

#### **12. ECOLOGICAL INFORMATION**

## Aquatic toxicity:

No information is available.

### 13. DISPOSAL CONSIDERATIONS

### Waste disposal

Preferred options for disposal are (1) recycling, (2) incineration with energy recovery, and (3) landfill. The high fuel value of this product makes option 2 very desirable for material that cannot be recycled, but incinerator must be capable of scrubbing out acidic combustion products. Treatment, storage, transportation, and disposal must be in accordance with applicable federal, state/provincial, and local regulations.

# **14.TRANSPORTATION INFORMATION**

## Shipping information

DOT

Proper shipping name: not regulated Hazard class: not regulated

## **15.REGULATORY INFORMATION**

# U.S. Federal Regulations

### TSCA inventory Status:

This product and all components are listed on U.S. EPA Toxic Substances Control Act Inventory and in accordance with EC directives/GefStoffV.

### **16.0THER INFORMATION**

# Hazard rating System Classifications:

	NFPA	HMIS	
Health	2	0	National Fire Protection Association rating
			identifies hazards a fire emergency
Flammability	1	1	Hazardous Materials Identification System
			rating applies to products as packaged.
Reactivity	0	0	

Key: 0=least; 1=slight; 2=moderate; 3=high; 4=extreme

### Important Note:

This information is furnished without warranty, expressed or implied, as to accuracy or completeness. This information is obtained from various sources including the manufacturer and other third-party sources. The safety data sheet only describes the products in aspect to their safety requirements.